




BOBBY JINDAL
GOVERNOR

STATE OF LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
P.O. Box 94245
Baton Rouge, Louisiana 70804-9245
www.dotd.la.gov
225-379-1485



WILLIAM D. ANKNER, Ph.D.
SECRETARY

June 19, 2009

STATE PROJECT NO. 086-02-0032
FEDERAL AID PROJECT NO. 4103(007)
JUNCTION LA 157 TO ARKANSAS STATE LINE
ROUTE US 371
WEBSTER PARISH

SUBJECT: ADDENDUM NO. 2 (CONSTRUCTION PROPOSAL REVISION)
ELECTRONIC BIDDING AMENDMENT NO. 1

Gentlemen:

The following proposal revisions dated 06/19/09 on the captioned project for which bids will be received on Tuesday, June 30, 2009 have been posted on <http://www.dotd.la.gov/cgi-bin/construction.asp>.

The following changes have been made:

1. Added the special provision entitled **NS Slotted Drains** (1 page)
2. Revised the Schedule of Items as follows: (2 pages)
 - a. Deleted Item 805-12-10000
 - b. Added Items 805-12-00900, 805-12-00920, 805-12-00940, and NS-701-00001

Please note these revisions in the proposal and bid accordingly. Mandatory electronic bidding is required for this project, and electronic bids and electronic bid bonds must be submitted via www.bidx.com for this letting date.

Sincerely,

RANDAL D. SANDERS, P. E.
CONTRACTS & SPECIFICATIONS ENGINEER

Attachments

cc: Mr. Brian Buckel
Mr. John Sanders
Mr. David North
Mr. Fred Borne
Mr. Don Maddox
Mr. Eric Burges
Mr. Masood Rasouljan

NS SLOTTED DRAINS (06/09):

DESCRIPTION. This work consists of furnishing and installing a slotted drain, in accordance with the 2006 Louisiana Standard Specifications for Roads and Bridges and these specifications in conformity with lines and grades shown on the plans or established.

MATERIALS. Materials shall comply with subsection 701.02 of the standard specifications and the following:

(a) Slotted Drain: The contractor shall furnish aluminized corrugated steel pipe, Type 2, complying with AASHTO M274 and AASHTO M36.

(b) Slotted Drain Grates: The contractor shall furnish grates made from ASTM A 1011 Grade 36 or ASTM A 36 steel.

(c) Quality Assurance for Pipe to be used in slotted drain: Quality assurance will be in accordance with Subsection 701.02(g) of the standard specifications.

CONSTRUCTION REQUIREMENTS.

(a) Excavation for slotted drains shall be in accordance with Subsection 701.03.

(b) Forming Slotted Drain Bed. Slotted drain bed shall be formed in accordance with Subsection 701.04. The compacted earth cushion shall have a minimum thickness under the slotted drain of 8 inches (200 mm) thick.

(c) Laying Slotted Drain. Slotted drain laying shall begin at the downstream end of the line. The slotted drain shall be in contact with the foundation throughout its length. Pipe for slotted drains shall be placed in accordance with Subsection 701.05 of the standard specifications.

(d) Backfilling.

(1) General: Prior to backfilling, slotted drains found to be damaged or out of alignment or grade shall be removed and reinstalled, or replaced.

Type A backfill material shall be stone, recycled portland cement concrete, flowable fill, RAP.

Type B backfill materials are selected soils. Where Type B backfill materials are called for, Type A backfill materials may be substituted.

(e) Inspection of Slotted Drains. After completion of embankment and prior to roadway surfacing, the engineer shall inspect slotted drains for proper alignment and integrity of joints in accordance with Subsection 701.09. Any misaligned slotted drains or defective joints shall be corrected by the contractor at no direct pay.

MEASUREMENT. Slotted drains will be measured in linear feet (lin m) in accordance with Subsection 701.12, which includes all labor, materials, equipment, tools, and incidentals necessary to complete the work. .

PAYMENT. Payment for slotted drains will be made at the contract unit price per linear foot (lin m) in accordance with Subsection 701. 13.

Payment will be made under:

| <u>Item No.</u> | <u>Pay Item</u> | <u>Pay Unit</u> |
|-----------------|-----------------|--------------------|
| NS-701-00001 | Slotted Drain | Linear Foot(Lin m) |



6/19/2009

Louisiana Department of Transportation and Development
Proposal Schedule of Items

Page: 8

Contract ID: 086-02-0032

Project(s): 086-02-0032

SECTION: 1

General Items

| Proposal Line Number | Item ID | Description Unit Price (In Words, Ink or Typed) | Approximate Quantity | Unit of Measure |
|----------------------------|--------------|--|-------------------------|--------------------|
| 0057 | 740-01-00100 | Construction Layout | | LUMP SUM |
| | | | | Dollars |
| | | | | Cents |
| 0058 | 741-06-00100 | Relocating Fire Hydrant | 2.000 | EACH |
| | | | | Dollars |
| | | | | Cents |
| 0059 | 741-11-00200 | Adjusting Water Valve and Meter Box | 8.000 | EACH |
| | | | | Dollars |
| | | | | Cents |
| 0060 | 805-01-00300 | Class A Concrete (Box Culvert Headwalls) | 1.110 | CUYD |
| | | | | Dollars |
| | | | | Cents |
| 0062 | 806-01-00100 | Deformed Reinforcing Steel | 6,669.000 | LB |
| | | | | Dollars |
| | | | | Cents |
| 0063 | NS-600-00220 | Saw Cutting Portland Cement Concrete Pavement | 3,792.000 | INLF |
| | | | | Dollars |
| | | | | Cents |
| 0066 | 805-12-00900 | Reinforced Concrete Box Culverts (3' x 1.5') | 1,344.000 | LNFT |
| | | | | Dollars |
| | | | | Cents |
| 0067 | 805-12-00920 | Reinforced Concrete Box Culverts (3' x 3') | 148.000 | LNFT |
| | | | | Dollars |
| | | | | Cents |



6/19/2009

Louisiana Department of Transportation and Development
Proposal Schedule of Items

Page: 9

Contract ID: 086-02-0032

Project(s): 086-02-0032

SECTION: 1

General Items

| Proposal Line Number | Item ID | Description Unit Price (In Words, Ink or Typed) | Approximate Quantity | Unit of Measure |
|----------------------------|--------------|--|-------------------------|--------------------|
| 0068 | 805-12-00940 | Reinforced Concrete Box Culverts (6' x 1.5') | 214.000 | LNFT |
| | | | | Dollars |
| | | | | Cents |
| 0069 | NS-701-00001 | Slotted Drain | 373.000 | LNFT |
| | | | | Dollars |
| | | | | Cents |

Section: 1

Total: _____

Total Bid: _____